



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/929,765	08/14/2001	Chih Chin Liao	56370	9374
21874	7590	02/23/2006	EXAMINER	
EDWARDS & ANGELL, LLP			WARREN, MATTHEW E	
P.O. BOX 55874			ART UNIT	
BOSTON, MA 02205			PAPER NUMBER	
			2815	

DATE MAILED: 02/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No.	Applicant(s)	
	09/929,765	LIAO, CHIH CHIN	
	Examiner	Art Unit	
	Matthew E. Warren	2815	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 08 December 2005.
- 2a) ☐ This action is FINAL.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 6,8,11 and 14 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 6,8,11 and 14 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

## DETAILED ACTION

This Office Action is in response to the RCE and Amendment filed on December 8, 2005.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 6 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over the Applicant's Prior Art Figures 3 and 4 (APAF) in view of Takahama (JP 6-157238).

In re claim 6, the APAF 3 and 4 shows a BGA package a substrate 10 having a front and back side, a chip 20 mounted on the front side of the substrate, the chip having an array of bond pads 30B, an array of solder balls 40A on the back side of the substrate, and an array of bond fingers 60B beside the chip and electrically connected to the bond pads of that chip by a plurality of first bonding wires (50B). An array of electrically conductive vias (72 & 74) penetrate from the front to the back side of the substrate and connect to the solder balls. The package also comprises a plurality of continuous electrically-conductive traces (70A-70D) for connecting a first subgroup of the bond fingers to corresponding ones of the vias. The continuous traces including at least one trace interposed between a second subgroup of the bond fingers and their corresponding vias. The APAF shows all of the elements of the claims except the

electrically conductive bridge. Takahama shows (fig. 3 and abstract) shows a semiconductor device having traces (3, 4, and 5) and a conductive bridge (8) in the form of a bond wire spanning in an overhead manner across the traces. The bond wire is free of the interposing traces and has an unfilled gap between the wire and traces. When combined with the APAF, the second bonding wire as a bridge would be free of interference with the first bonding wire since it would not be beneficial for any wires to touch or interfere with each other and thus causing a short circuit. With this configuration, the density of wiring can be increased ultimately increasing the level of integration of the device. When combined with the APAF, the top position of the conductive bridge as a second bonding wire is lower in height than a top position of the first bonding wires. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the connections of the APAF by forming conductive bridges spanning over traces as taught by Takahama to increase the wiring density and ultimately improve the integration of the semiconductor device.

In re claim 14, when the APAF 3 and Takahama are combined the bonding wire of Takahama has one end electrically connected by a first trace to the corresponding via (80A) of the APAF 3, and the other end electrically connected by a second trace to the corresponding bond finger (60B) of the APAF 3.

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's Prior Art Figures 3 and 4 (APAF) in view of Takahama (JP 6-157238) as applied to claim 6 above, and further in view of Abrams (US 3,560,256).

In re claim 8, the APAF and Takahama show all of the elements of the claims except the bond wire made of gold. Abrams discloses a bridge/crossover that is made of gold wires or includes a resistor (col. 4, lines 3-6, & 25-31) and is free of interference with the electrically conductive trace due to the insulating material (27) between the bridge and traces. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the APAF and Takahama by employing gold conductive bridge structures that cross over circuit traces as taught by Abrams to suitably increase the packing density of the circuit.

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over the Applicant's Prior Art Figures 3 and 4 (APAF) in view of Takahama (JP 6-157238) and Abrams (US 3,560,256)

In re claim 11, the APAF 3 and 4 shows a BGA package a substrate 10 having a front and back side, a chip 20 mounted on the front side of the substrate, the chip having an array of bond pads 30B, an array of solder balls 40A on the back side of the substrate, and an array of bond fingers 60B beside the chip and electrically connected to the bond pads of that chip. An array of electrically conductive vias (72 & 74) penetrate from the front to the back side of the substrate and connect to the solder balls. The package also comprises a plurality of continuous electrically-conductive traces (70A-70D) for connecting a first subgroup of the bond fingers to corresponding ones of the vias. The continuous traces including at least one trace interposed between a second subgroup of the bond fingers and their corresponding vias. The APAF shows

Art Unit: 2815

all of the elements of the claims except the electrically conductive bridge as a zero resistance chip resistor. Takahama shows (fig. 3 and abstract) shows a semiconductor device having traces (3, 4, and 5) and a conductive bridge (8) in the form of a bond wire spanning in an overhead manner across the traces. The bond wire is free of the interposing traces and has an unfilled gap between the wire and traces. With this configuration, the density of wiring can be increased ultimately increasing the level of integration of the device. When combined with the APAF, the top position of the conductive bridge as a second bonding wire is lower in height than a top position of the first bonding wires. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the connections of the APAF by forming conductive bridges spanning over traces as taught by Takahama to increase the wiring density and ultimately improve the integration of the semiconductor device. Neither reference shows that the conductive bridge is a zero resistance chip resistor. Abrams shows (fig. 1) a circuit in which crossover or conductive bridges are used to increase the packing density of the circuit (col. 2, lines 14-26). The electrically conductive bridge 26 spans in an overhead manner across interposing traces (22c & 22d) and connect one end of a trace 22b to the end of another trace 22a. There is a gap between the bridge and the interposing trace (that gap is filled with an insulating material). The bridge/crossover is made of gold wires or includes a resistor (col. 4, lines 3-6, & 25-31) and is free of interference with the electrically conductive trace due to the insulating material (27) between the bridge and traces. Abrams does not specifically mention that the chip resistor has zero resistance. However, It would have been obvious

to one of ordinary skill in the art at the time the invention was made to set the resistance to any desired value, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the APAF and Takahama by employing conductive bridge structures such as chip resistors that cross over circuit traces as taught by Abrams to also increase the packing density of the circuit.

### ***Response to Arguments***

Applicant's arguments filed with respect to claims 6 and 11 have been fully considered but they are not persuasive. The applicant primarily asserts that the prior art references do not show all of the elements of the claims, specifically that the APAF, Takahama, and Abrams do not show an electrically conductive bridge that is free of interference from the first bonding wires. As stated in the rejection above, when combined with the APAF figures, Takahama would teach such a figure. For instance, figure 3 of the APAF shows traces connected to via 80A and pad 60B. When the bridge of Takahama is connected to the trace of 80A and the trace of 60B at points (x) to span over trace 70A, the bridge would not interfere with any of the bond wires. Furthermore, it would be understood by one of ordinary skill in the art that in order to prevent short circuiting, the bond wires and/or bridges should not interfere with each other. Furthermore, as stated as in the rejection above, the conductive bridge of Abrams is not necessarily a zero-resistance chip resistor, but is a chip resistor. However, setting the

Art Unit: 2815

resistance of the resistor to a specific value is merely an optimization of a parameter and thus not patentably distinguishable over the art. Therefore, the cited references show all of the elements of claims.

### **Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew E. Warren whose telephone number is (571) 272-1737. The examiner can normally be reached on Mon-Thur and alternating Fri 9:00-5:00pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth Parker can be reached on (571) 272-2298. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MEW

*MEW*

February 13, 2006



KENNETH PARKER  
SUPERVISOR  
EXAMINER